

c) a control system and memory associated with said communication electronics and said customer interface;

d) said control system adapted to receive the indicia from a remote communication unit and provide a customer with select information predefined by the customer at said customer interface, said select information being selected by the customer and associated with the remote communication unit prior to the transaction.

20. **(new)** The system of claim 19 wherein said memory is located apart from said fuel dispenser and is operatively associated with a central site control system.

21. **(new)** The system of claim 19 wherein said control system includes a dispenser control system located in said fuel dispenser.

22. **(new)** The system of claim 21 wherein said control system further includes a central site control system located apart from said fuel dispenser.

23. **(new)** The system of claim 19 wherein said control system includes a central site control system located apart from said fuel dispenser.

24. **(new)** The system of claim 19 wherein the indicia includes identification indicia and said select information is stored in said memory in association with the identification indicia of the remote communication unit and said control system is adapted to access said select information in

said memory upon receipt of the identification indicia and provide the select information at the customer interface.

25. **(new)** The system of claim 19 wherein said control system is adapted to access said select information at a remote network based on the indicia and provide the select information at the customer interface upon receipt of the indicia and accessing said select information.

26. **(new)** The system of claim 19 wherein the indicia defines the select information stored in said memory, said control system adapted to access said select information using the indicia after receipt of the indicia and provide the select information at the customer interface.

27. **(new)** The system of claim 19 wherein the indicia includes the select information and said control system is adapted to receive said select information through the communication electronics and provide the select information at the customer interface.

28. **(new)** The system of claim 19 wherein the selected information is stored on an audio/visual source adapted for playback of audio/visual material and said control system is adapted to control the audio/visual source to play the audio/visual material at said customer interface.

29. **(new)** The system of claim 19 wherein said select information includes audio and visual components.

30. **(new)** The system of claim 19 wherein said select information includes a desired greeting to be provided at the customer interface to the customer.

31. **(new)** The system of claim 30 wherein said greeting is audibly presented to the customer.

32. **(new)** The system of claim 30 wherein said greeting is visually displayed to the customer.

33. **(new)** The system of claim 19 wherein said control system is adapted to allow a customer to modify the predefined selected information during a transaction to receive additional selected information.

34. **(new)** The system of claim 33 wherein said control system stores the additional selected information as said selected information for future transactions.

35. **(new)** The system of claim 34 wherein said control system and said communications system are adapted to transmit information to the remote communications unit to store the additional information as the selected information.

36. **(new)** A system for automatically preventing presentment of information based on customer preferences during a fueling operation comprising:

a) a fuel dispenser with a customer interface adapted to present information to a customer during a transaction;

- b) wireless communication electronics associated with said fuel dispenser and adapted to receive signals including indicia from remote communication units; and
- c) a control system and memory associated with said communication electronics and said customer interface;
- d) said control system adapted to present said select information at said customer interface;
- e) said control system adapted to receive the indicia from a remote communication unit and prevent presentment of select information at said customer interface, said select information being selected by the customer and associated with the remote communication unit prior to the transaction.

37. **(new)** The system of claim 36 wherein the indicia is identification indicia and said select information is stored in association with the identification indicia of the remote communication unit and said control system is adapted to identify said select information upon receipt of the identification indicia and prevent the presentment of the select information accordingly.

38. **(new)** The system of claim 36 wherein the predefined parameters are transmitted to the communication electronics from said remote communication unit and said control system is adapted to receive the predefined parameters and control the transaction accordingly.

39. **(new)** An interrogation system associated with a fuel dispensing system for automatically providing customer preferences during a fueling operation, said system comprising:

- a) a customer transaction interface associated with an interrogator for communicating with transponders; and
- b) a control system and memory associated with said interrogator;
- c) said control system adapted to interrogate a remote communication unit with said interrogator during a transaction and provide select types of information predefined by the customer at said customer interface, said select types of information being selected by the customer and associated with the remote communication unit prior to the transaction.

40. **(new)** The system of claim 39 wherein said interrogator is adapted to interrogate the transponder and receive identification indicia, and provide such information to said control system.

41. **(new)** The system of claim 39 wherein said interrogator is adapted to interrogate the transponder and receive indicia including the select types of information predefined by the customer, said control system using the indicia to determine the select types of information predefined by the customer, access the information and provide the information to the customer.

42. **(new)** A method for automatically providing customer preferences during a fueling operation comprising:

- a) receiving indicia from a remote communication unit in association with a fueling transaction;
- b) determining select types of information predefined by the customer using the indicia received from the remote communication unit, the select types of information being